

Access token B2B

Endpoint

Endpoint	Method	Server
/api/v1.0/access-token/b2b	POST	https://apidevportal.aspi-indonesia.or.id:44310

Header

Parameter	Value	Notes
X-TIMESTAMP	Today's date UTC+7 Example 2024-11-29T14:15:00+07:00	
X-CLIENT-KEY	Client id in Request Aplikasi Pengujian page	
X-SIGNATURE	Asymmetric signature value	See this page

Result example

200 OK

```
{
  "signature":
  "ECMIId++UluHBE1JU8oTcPBydvL3noq19LkTur3hWuA8ptyoqGGjXQW7TrG6JgeDMLO2533rXlo3b1hjfT/CCMk4
  vxGHDFV+YjY0r1e1mSgvYOSWhTss5DOKF0Fk3Lh0XfW5pP+6HgIVGX5cluQkTB4fgTyDrJMjHZa5fttMda9S98Q
  znbvtMnz"
}
```

Error example

400 Bad Request

X-TIMESTAMP header is not provided or value is empty

```
{  
  "responseCode": "4000000",  
  "responseMessage": "The timestamp field is required."  
}
```

400 Bad Request

X-CLIENT-KEY header is not provided or value is empty

```
{  
  "responseCode": "4000000",  
  "responseMessage": "The clientId field is required."  
}
```

400 Bad Request

Private_Key header is not provided or value is empty

```
{  
  "responseCode": "4000000",  
  "responseMessage": "The privateKey field is required."  
}
```

Revision #3

Created 29 November 2024 08:46:32 by ondeliveroper

Updated 29 November 2024 08:50:40 by ondeliveroper