

# Get signature service (symmetric signature)

## Server

Environment	Link
Development	<a href="https://apidevportal.aspi-indonesia.or.id:44310">https://apidevportal.aspi-indonesia.or.id:44310</a>

## Endpoint

Endpoint	Method
/api/v1.0/utilities/signature-service	POST


## Authentication

Parameter	Token source
AccessToken	<a href="#">Access token B2B</a>

## Header

Parameter	Value
X-TIMESTAMP	timestampz example: 2024-12-01T07:15:00+07:00
X-CLIENT-SECRET	Client Secret in "Request Aplikasi Pengujian" page
EndpointUrl	/api/v1.0/transfer-va/payment
AccessToken	<a href="#">Access token B2B</a>
HttpMethod	Depends on the service will be using Example: Transver VA Payment is using POST, so the value will be POST.

## Body request (example)



## Body value is same as the next service

```
{
  "partnerServiceId": " 088899",
  "customerNo": "12345678901234567890",
  "virtualAccountNo": " 08889912345678901234567890",
  "virtualAccountName": "Tom",
  "virtualAccountEmail": "tom@tts.com",
  "virtualAccountPhone": "6281828384858",
  "trxId": "abcdefgh1234",
  "paymentRequestId": "abcdef-123456-abcdef",
  "channelCode": 6011,
  "hashedSourceAccountNo": "abcdefghijklmnopqrstuvwxy123456",
  "sourceBankCode": "008",
  "paidAmount": {
    "value": "12345678.00",
    "currency": "IDR"
  },
  "cumulativePaymentAmount": {
    "value": "12345678.00",
    "currency": "IDR"
  },
  "paidBills": "95000",
  "totalAmount": {
    "value": "12345678.00",
    "currency": "IDR"
  },
  "trxDateTime": "20201231T235959Z",
  "referenceNo": "123456789012345",
  "journalNum": "123456",
  "paymentType": 1,
  "flagAdvise": "Y",
  "subCompany": "12345",
  "billDetails": [
    {
      "billCode": "01",
      "billNo": "123456789012345678",
      "billName": "Bill A for Jan",
      "billShortName": "Bill A",
    }
  ]
}
```

```
"billDescription": {
  "english": "Maintenance",
  "indonesia": "Pemeliharaan"
},
"billSubCompany": "00001",
"billAmount": {
  "value": "12345678.00",
  "currency": "IDR"
},
"additionalInfo": {},
"billReferenceNo": "123456789012345"
}
],
"freeTexts": [
  {
    "english": "Free text",
    "indonesia": "Tulisan bebas"
  }
],
"additionalInfo": {}
}
```

## Result example

200 OK

```
{
  "signature": "YXD+d+yHRKRMz0+aVjLu6K2nQ3Fd9KryoMxvkQPs1CXkSqOvv0"
}
```

## Error example

400 Bad Request  
Request is missing one or more header parameter

```
{  
  "responseCode": "4000000",  
  "responseMessage": "The <header> field is required."  
}
```

---

Revision #1

Created 2 December 2024 02:05:34 by ondelivelooper

Updated 2 December 2024 02:29:34 by ondelivelooper