Get signature service (symmetric signature)

Server

Environment	Link
Development	https://apidevportal.aspi-indonesia.or.id:44310

Endpoint

Endpoint	Method
/api/v1.0/utilities/signature-service	POST

Authentication

Parameter	Token source
AccessToken	Access token B2B

Header

Parameter	Value
X-TIMESTAMP	timestampz example: 2024-12-01T07:15:00+07:00
X-CLIENT-SECRET	Client Secret in "Request Aplikasi Pengujian" page
EndpoinUrl	/api/v1.0/transfer-va/payment
AccessToken	Access token B2B
HttpMethod	Depends on the service will be using Example: Transver VA Payment is using POST, so the value will be POST.

Body request (example)

Body value is same as the next service


```
{
  "partnerServiceId": "  088899",
  "customerNo": "12345678901234567890",
  "virtualAccountNo": "  088899123456789012345678 90",
  "virtualAccountName": "Tom",
  "virtualAccountEmail": "tom@tts.com",
  "virtualAccountPhone": "6281828384858",
  "trxId": "abcdefgh1234",
  "paymentRequestId": "abcdef-123456-abcdef",
  "channelCode": 6011,
  "hashedSourceAccountNo": "abcdefghijklmnopqrstuvwxyz123456",
  "sourceBankCode": "008",
  "paidAmount": {
    "value": "12345678.00",
    "currency": "IDR"
  },
  "cumulativePaymentAmount": {
    "value": "12345678.00",
    "currency": "IDR"
  },
  "paidBills": "95000",
  "totalAmount": {
    "value": "12345678.00",
    "currency": "IDR"
  },
  "trxDateTime": "20201231T235959Z",
  "referenceNo": "123456789012345",
  "journalNum": "123456",
  "paymentType": 1,
  "flagAdvise": "Y",
  "subCompany": "12345",
  "billDetails": [
    {
      "billCode": "01",
      "billNo": "123456789012345678",
      "billName": "Bill A for Jan",
      "billShortName": "Bill A",
```

```
            "billDescription": {
                "english": "Maintenance",
                "indonesia": "Pemeliharaan"
            },
            "billSubCompany": "00001",
            "billAmount": {
                "value": "12345678.00",
                "currency": "IDR"
            },
            "additionalInfo": {},
            "billReferenceNo": "123456789012345"
        }
    ],
    "freeTexts": [
        {
            "english": "Free text",
            "indonesia": "Tulisan bebas"
        }
    ],
    "additionalInfo": {}
}
```


Result example

200 OK


```
{
    "signature": "YXD+d+yHRKRMz0+aVjLu6K2nQ3Fd9KryoMxvkQPs1CXkSqOvv0"
}
```


Error example

400 Bad Request
Request is missing one or more header parameter

```
{
   "responseCode": "4000000",
   "responseMessage": "The <header> field is required."
}
```


Revision #1
Created 2 December 2024 02:05:34 by ondeliveloper
Updated 2 December 2024 02:29:34 by ondeliveloper