

# delivery

- [create booking](#)
- [Booking details](#)
- [Booking check QRIS](#)

# create booking

## Endpoint

Endpoint	Method	Authentication
/booking/delivery/user/create	POST	yes

## Authentication

Type	Token source	Server
Bearer	<a href="#">USAPI LOGIN</a>	usapi

Field	Data Type	Notes
package_info	Array of Objects	
- origin_id	Integer	
- destination_id	Integer	
- service_id	Integer	
- sender_name	String	
- sender_phone	String	
- sender_address	String	
- receiver_name	String	
- receiver_phone	String	
- receiver_address	String	
- goods_id	Integer	
- goods_desc	String	
- goods_weight	Float	

- length	Float	
- width	Float	
- height	Float	
- voucher	String	
- notes	String	
- insurance_exist	Boolean	
- koli	Integer	
- origin_city	Integer	
- destination_city	Integer	
- goods_value	Float	
- estimate_price	Integer	
- packing_value	Integer	
- payment_type	String	Possible values: "CASH", "COC", "TRANSFER", "QRIS"
department	String	
mode	String	
pickup_loc	Object	
- lat	Float	
- long	Float	
- urban_id	Integer	
- sub_district_id	Integer	
- city_id	Integer	
- full_address	String	
phone_number	String	

relation_mode	String	
---------------	--------	--

## Body request

```
{
  "package_info": [
    {
      "origin_id": 25207,
      "destination_id": 25208,
      "service_id": 2,
      "sender_name": "Test",
      "sender_phone": "000000",
      "sender_address": "test",
      "receiver_name": "Test",
      "receiver_phone": "000000",
      "receiver_address": "Test",
      "goods_id": 31,
      "goods_desc": "Test",
      "goods_weight": 4,
      "length": 0,
      "width": 0,
      "height": 0,
      "voucher": "",
      "notes": "",
      "insurance_exist": false,
      "koli": 1,
      "origin_city": 476,
      "destination_city": 156,
      "goods_value": 0,
      "estimate_price": 60000,
      "packing_value": 2000,
      "payment_type": "QRIS"
    }
  ],
  "department": "ONDELIVERY",
  "mode": "PICKUP",
  "pickup_loc": {
    "lat": -6.1613542,
    "long": 106.9257834,
```

```
"urban_id": 0,  
"sub_district_id": 0,  
"city_id": 156,  
"full_address": " Cakung Barat, Cakung Barat, "  
},  
"phone_number": "000000",  
"relation_mode": "1"  
}
```

### Result example

200 Ok

insert code here

### Error example

Body request example

insert code here

# Booking details

## Endpoint

Endpoint	Method	Authentication
/booking/delivery/user/detail	GET	yes

## Authentication

Type	Token source	Server
Bearer	<a href="#">USAPI LOGIN</a>	USAPI

## Param request

Properties	Required	Description
booking_id	yes	booking code generated from

## Link example

{{demo}}/booking/delivery/user/detail?booking\_id=11113BE

## Result example

OK (200)

```
{
  "package_info": [
    {
      "id": 4062,
      "booking_onapps_id": 4080,
      "destination_id": 25208,
```

```
"origin_id": 25207,  
"service_id": 2,  
"sender_name": "Test",  
"sender_phone": "000000",  
"sender_address": "test",  
"receiver_name": "Test",  
"receiver_phone": "000000",  
"receiver_address": "Test",  
"goods_id": 31,  
"goods_desc": "Test",  
"goods_weight": 4,  
"length": 0,  
"width": 0,  
"height": 0,  
"koli": 1,  
"notes": "",  
"insurance_exist": false,  
"goods_value": 0,  
"packing_value": 0,  
"estimate_price": 60000,  
"voucher": null,  
"voucher_id": null,  
"discount_value": null,  
"voucher_type": null,  
"payment_type": "QRIS",  
"payment_note":
```

```
"00020101021226570011ID.DANA.WWW011893600915060486424802096048642480303UKE51440014ID.C  
O.QRIS.WWW0215ID20243148326170303UKE5204899953033605405600005802ID5925PT OnIndonesia  
Sistem Tek6015Kota Jakarta  
Ut610514240627201156QVVSakXzjPkQaR60490011ID.DANA.WWW0425MER2021071400774509608641050  
1163042741",
```

```
"createdAt": "2024-05-15T09:53:02.732Z",  
"updatedAt": "2024-05-15T09:53:02.732Z",  
"insurance_fee": 0,  
"fee_after_discount": 60000,  
"total_fee": 60000
```

```
}
```

```
],
```

```
"type": "PICKUP",
```

```
"user": "usernew1",
"address": {
  "lat": -6.1613542,
  "long": 106.9257834,
  "urban_id": 0,
  "sub_district_id": 0,
  "city_id": 156,
  "full_address": " Cakung Barat, Cakung Barat, "
},
"timestamp": "2024-05-15T09:53:02.325Z",
"phone_number": "000000",
"status": "BOOKING_CANCELLED",
"booking_id": "11113BE",
"driver_id": null,
"kurir_name": null,
"kurir_phone": null,
"exp_payment_time": "2024-05-15T09:53:32.324Z"
}
```

## Error example

Body request example

insert code here

# Booking check QRIS

## Endpoint

Endpoint	Method	Authentication
/booking/delivery/user/detail/qr	GET	yes

## Authentication

Type	Token source	Server
Bearer	<a href="#">USAPI LOGIN</a>	USAPI

## Param request

Properties	Required	Description
booking_id	yes	booking code generated from

## Link example

{{demo}}/booking/delivery/user/detail/qr?booking\_id=11113BE

### Result example

OK (200)

```
{
  "qr_status": "EXPIRED"
}
```

### Error example

## Body request example

insert code here