

Account Registration - Internal

Endpoint

Endpoint	Method	Authentication
/internal/register	POST	Yes

Authentication

Type	Token source	Server
Basic	Internal	USAPI

Header

Parameter	Value
authorization	Basic <auth key>

Body request

```
{
  "username": "test regis 3",
  "password": "test regis 3",
  "first_name": "second",
  "last_name": "test account",
  "phone_number": "621234567891",
  "email": "test@abc.com"
}
```

Properties	Properties of	Data type	Required	Description
username		string	yes	Username must be unique

password		string	yes	
first_name		string	yes	
last_name		string	yes	
phone_number		string	yes	<ol style="list-style-type: none"> 1. Phone number must be unique 2. Phone number format starts from 62 (62xxxx) 3. Without 62: Minimum length is 7 and maximum length is 15 4. With 62: Minimum length is 9 and maximum length is 17
email		string	yes	Email must be unique

Result example

200 Ok

```
{
  "status": true,
  "message": "Account has been created"
}
```

Error example

400 Bad request
Phone number is invalid

```
{  
  "message": "Invalid phone number format"  
}
```

400 Bad request
Duplicate phone number

```
{  
  "message": "Phone number already exist"  
}
```

400 Bad request
Duplicate username

```
{  
  "message": "Username already exist"  
}
```

400 Bad request
Duplicate email

```
{  
  "message": "Email already exist"  
}
```

500 Internal server error

```
{  
  "message": "Internal error"  
}
```

Revision #3

Created 18 November 2024 10:28:40 by ondelivelooper

Updated 19 February 2025 02:32:58 by ondelivelooper