
Get invoice

Flowchart



Endpoint

Endpoint	Method	Authentication
/invoice/detail	GET	yes

Authentication

Type	Token source	Server

Bearer	{{USAPI}}/auth	USAPI

Param request

Properties	Required	Description
invoice	yes	invoice ID generated by USAPI
waybill_number	yes	Waybill Number generated by OSAS

Notes: Choose one of param request

link example:

demousapi.onindonesia.id/invoice/detail?invoice=OD0001N12D0000b

or

demousapi.onindonesia.id/invoice/detail?waybill_number=OND132456A123

Result example

200 OK


```
{
   "id": "21",
   "username": "usernew1",
   "type": "ONMARKET CHECKOUT",
   "amount": 10000,
   "xendit_invoice": "658bee8b8013d711637b9a7b",
   "invoice": "OM0001N0CR0000f",
   "status": "PAID",
   "src": "XENDIT",
   "xendit_url": "https://checkout-staging.xendit.co/web/658bee8b8013d711637b9a7b",
   "expired_at": "2023-12-27T11:29:47.812Z",
   "createdAt": "2023-12-27T09:29:48.025Z",
   "updatedAt": "2023-12-27T09:30:00.052Z"
}
```

Error example

400 Bad request

```
{
  "message": "Invoice not found"
}
```

401 Unauthorized

```
{
  "message": "Auth Error"
}
```

500 Internal server error

```
{
  "message": "Internal Error"
}
```

Revision #8
Created 27 December 2023 09:40:48 by ondeliveloper
Updated 13 February 2024 08:55:13 by ondeliveloper