Invoice cancel

Endpoint

Endpoint	Method	Authentication
/invoice/cancel	POST	yes

Authentication

Type	Auth type
Basic	Login and password same as USAPI Login

Body request

```
{
  "platform": "ONMARKET",
  "invoice_id": "OM0003d0CS00009",
  "invoice_onmarket": "INV/ONM/20240124-002B0001",
  "buyer_username": "usernew1"
}
```

Properties	Properties of	Data type	Required	Description

platform		string	yes	ONINDONESIA services. Possible values: • ONDELIVERY means the source of the transaction comes from ondelivery. • ONTICKET means the source of the transaction comes from onticket. • ONMARKET means the source of the transaction comes from onmarket.
invoice_id		string	yes	invoice ID generated by USAPI
invoice_onmarket		string	no[1]	Invoice ID generated by ONMARKET [1]if status of the invoice is PAID, it will be refunded to buyer's balance from each store. So invoice_onmarket is required.
buyer_username		string	no[1]	Username from buyer [1]if status of the invoice is PAID, it will be refunded to buyer's balance. So buyer's username is required.

Result example

200 OK (Invoice status is PAID)


```
{
 "message": "REFUND IN PROCESS"
}
```


200 OK (Invoice status is PENDING)


```
{
 "message": "INVOICE CANCELED"
}
```


Error example

400 Bad request


```
{
  "message": "REFUND ALREADY IN PROCESS"
}
```

```
{
  "message": "TRANSACTION IS ALREADY CANCELED"
}
```

```
{
  "message": "EXPIRED INVOICE"
}
```


500 Internal server error


```
{
  "message": "INTERNAL SERVER ERROR"
}
```

Revision #10
Created 2 January 2024 09:20:23 by ondeliveloper
Updated 1 March 2024 07:48:41 by ondeliveloper